


## Пластины SPHX для зенкоров S2S и сверл HTS-C



- лучший выбор  
○ альтернативный выбор

## ■ SPHX...R-21

| номер по каталогу | D     |       | D1    |      | S     |      | Rε    |      | γ | KC7210 | KC7215 | KC7140 | KC7815 | KM1 |
|-------------------|-------|-------|-------|------|-------|------|-------|------|---|--------|--------|--------|--------|-----|
|                   | дюйм  | мм    | дюйм  | мм   | дюйм  | мм   | дюйм  | мм   |   |        |        |        |        |     |
| SPHX060202R21     | .2500 | 6,35  | .1122 | 2,85 | .0937 | 2,38 | .0080 | 0,20 | 4 | ●      | ○      |        |        |     |
| SPHX060204R21     | .2500 | 6,35  | .1122 | 2,85 | .0937 | 2,38 | .0156 | 0,40 | 4 | ●      | ○      |        |        |     |
| SPHX060206R21     | .2500 | 6,35  | .1122 | 2,85 | .0937 | 2,38 | .0236 | 0,60 | 4 | ●      | ○      |        |        |     |
| SPHX060208R21     | .2500 | 6,35  | .1122 | 2,85 | .0937 | 2,38 | .0313 | 0,80 | 4 | ●      | ○      |        |        |     |
| SPHX070304R21     | .3125 | 7,94  | .1122 | 2,85 | .1252 | 3,18 | .0156 | 0,40 | 4 | ●      | ○      |        |        |     |
| SPHX070306R21     | .3125 | 7,94  | .1122 | 2,85 | .1252 | 3,18 | .0236 | 0,60 | 4 | ●      | ○      |        |        |     |
| SPHX070308R21     | .3125 | 7,94  | .1122 | 2,85 | .1252 | 3,18 | .0313 | 0,80 | 4 | ●      | ○      |        |        |     |
| SPHX070310R21     | .3125 | 7,94  | .1122 | 2,85 | .1252 | 3,18 | .0394 | 1,00 | 4 | ●      | ○      |        |        |     |
| SPHX090304R21     | .3750 | 9,53  | .1378 | 3,50 | .1252 | 3,18 | .0160 | 0,40 | 4 | ●      | ○      |        |        |     |
| SPHX090308R21     | .3750 | 9,53  | .1378 | 3,50 | .1252 | 3,18 | .0315 | 0,80 | 4 | ●      | ○      |        |        |     |
| SPHX090310R21     | .3750 | 9,53  | .1378 | 3,50 | .1252 | 3,18 | .0394 | 1,00 | 4 | ●      | ○      |        |        |     |
| SPHX090312R21     | .3750 | 9,53  | .1378 | 3,50 | .1252 | 3,18 | .0472 | 1,20 | 4 | ●      | ○      |        |        |     |
| SPHX090316R21     | .3750 | 9,53  | .1378 | 3,50 | .1252 | 3,18 | .0625 | 1,60 | 4 | ●      | ○      |        |        |     |
| SPHX120404R21     | .5000 | 12,70 | .1772 | 4,50 | .1874 | 4,76 | .0156 | 0,40 | 4 | ●      | ○      |        |        |     |
| SPHX120408R21     | .5000 | 12,70 | .1772 | 4,50 | .1874 | 4,76 | .0313 | 0,80 | 4 | ●      | ○      |        |        |     |
| SPHX120410R21     | .5000 | 12,70 | .1772 | 4,50 | .1874 | 4,76 | .0394 | 1,00 | 4 | ●      | ○      |        |        |     |
| SPHX120412R21     | .5000 | 12,70 | .1772 | 4,50 | .1874 | 4,76 | .0472 | 1,20 | 4 | ●      | ○      |        |        |     |
| SPHX120416R21     | .5000 | 12,70 | .1772 | 4,50 | .1874 | 4,76 | .0625 | 1,60 | 4 | ●      | ○      |        |        |     |
| SPHX120420R21     | .5000 | 12,70 | .1772 | 4,50 | .1874 | 4,76 | .0787 | 2,00 | 4 | ●      | ○      |        |        |     |

Геометрия SPHX...R-21 наиболее предпочтительна для обработки чугуна.

Пример заказа:

по номеру в каталоге и сплаву SPHX060202R21 KC7210.