


■ **TM711 • Внутренний подвод СОЖ • Резьба метрическая с мелким шагом**



- лучший выбор
- альтернативный выбор

Метчики

ККУ33	размер D1	D1	Ap1 max	L	LS	D	число режущих кромок
TM711M030X050R2DHA	M3X0.5	2,4	6,2	42	28	4,0	3
TM711MF040X050R2DHA	M4X0.5	3,4	8,2	55	36	6,0	3
TM711M040X070R2DHA	M4X0.7	3,2	8,7	55	36	6,0	3
TM711MF050X050R2DHA	M5X0.5	4,3	10,2	55	36	6,0	3
TM711M050X080R2DHA	M5X0.8	4,0	10,8	55	36	6,0	3
TM711MF060X075R2DHA	M6X0.75	5,0	12,4	55	36	6,0	3
TM711M060X100R2DHA	M6X1	4,8	12,5	55	36	6,0	3
TM711MF080X075R2DHA	M8X0.75	5,9	16,8	63	36	6,0	3
TM711MF080X100R2DHA	M8X1	5,9	16,4	63	36	6,0	3
TM711M080X125R2DHA	M8X1.25	5,9	16,8	63	36	6,0	3
TM711MF100X100R2DHA	M10X1	7,9	20,5	70	36	8,0	3
TM711M100X150R2DHA	M10X1.5	7,9	20,2	70	36	8,0	3
TM711MF120X100R2DHA	M12X1	9,9	24,5	80	40	10,0	4
TM711MF120X150R2DHA	M12X1.5	9,9	24,7	80	40	10,0	4
TM711M120X175R2DHA	M12X1.75	9,9	25,3	80	40	10,0	4
TM711MF140X150R2DHA	M14X1.5	9,9	29,2	80	40	10,0	4
TM711M140X200R2DHA	M14X2	11,6	29,0	90	45	12,0	4
TM711MF160X150R2DHA	M16X1.5	11,9	32,2	90	45	12,0	4
TM711M160X200R2DHA	M16X2	11,9	32,9	90	45	12,0	4
TM711MF180X150R2DHA	M18X1.5	13,9	36,7	90	45	14,0	4
TM711M180X250R2DHA	M18X2.5	13,9	38,7	90	45	14,0	4
TM711MF200X150R2DHA	M20X1.5	13,9	41,2	90	45	14,0	4
TM711M200X250R2DHA	M20X2.5	13,9	41,2	90	45	14,0	4

Точность изготовления хвостовика

D	допуск h6
6	+0, -0,008
8-10	+0, -0,009
12-18	+0, -0,011
20-30	+0, -0,013